

Alkaline Batteries & Battery Packs

Section 1 Identification:		
1.1 Identification:		
Product Form	Article	
Trade Name	Procell Alkaline (Major and Specialty Cells and Batteries)	
Description	Procell Branded Consumer Alkaline Battery	
Electro-Technical System	Alkaline Manganese Dioxide	
Physical Description (IEC	Major Cells: AA (LR6), AAA (LR03), C (LR14), D (LR20) & 9V (6LR61),	
Physical Description (IEC Designation)	Battery Packs: 6V(Style-F), 9V (Style-B, ILCO)	
Designation)	Product Code: PC1400, PC1500, PC1604, PC2400, PCBP-Style-28110	
Document ID	PSDS – Procell Alkaline	
Date Prepared	1/1/2025	
1.2 Recommended Use and Restrictions on use:		
Use	Portable power source for electronic devices.	
Restrictions on use:	No information available	
Section 1.3 SUPPLIER/ MANUFACTURER'S INFORMATION		
	Duracell, a Berkshire Hathaway Company	
Manufacturer's Name and	U.S. Operations, Inc., 14 Research Drive Bethel, CT USA 06801	
Address		
	Duracell (China) Ltd	
	Hongtu High & New Technology Development Zone,	
	Nan Cheng District, Dongguan, 523080 Guangdong, China	
US Telephone	(203) 796-4000	
Section 1.4 Emergency Teleph	one number	

Section 1.4 Emergency Telephone number	
Emergency Telephone	1-703-527-3887 (Collect) (Chemtrec)
Global Website	www.duracell.com

Section 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture or article

Product is a sealed article, not a mixture or substance. Exposure to contents inside the sealed battery will not occur unless the battery leaks, is exposed to high temperatures, or is mechanically abused.

2.2 GHS Label elements, including precautionary statements

GHA Pictograms: NONE

GHS Signal Word: NONE

HAZARDS: Battery may explode or leak when heated, disassembled, short-circuited, recharged or exposed to fire or high temperature, or inserted incorrectly. Keep coin batteries out of reach of children.

GHS classification: None required according to ranking criteria. PSDS requirements and GHS classification criteria do not apply to articles or products (such as batteries) that have a fixed shape and are not intended to release a chemical. Article exemption is found in 274 of the NSW Work Health and Safety Act 2011 Section 1.3 and states: The GHS applies to pure substances, their diluted solutions and mixtures.

Section 3: COMPOSITION/INFOMRATION ON INGREDIENTS				
INGREDIENTS	S	CAS NUMBER	Amount	
Zinc		7440-66-6	10-25%	
Manganese Diox	kide	1313-12-9	35-40%	
Nickel Compounds, Pr	roprietary		0-6%	
Alkali Metal Hydroxide (Potas	sium Hydroxide)	1310-58-3	5-10%	
Nickel-pated St	eel	12596-69-2	8-15%	
	Other Non-Reactive	Materials	10-15%	
	Section 4: FIRST AID MEASURES			
(In case of electrolyte	(In case of electrolyte leakage from the battery.)			
Eye Contact	Flush thoroughly wit	h copious amounts of running water for at least	st 15 minutes. Hold eyelids open to assure thorough	
		diate medical attention.		
			ing with water. Continue to flush exposed skin with	
			evelops and persists. Launder contaminated clothing	
Skin Contact		card shoes and other items that cannot be de		
			from children. If swallowed, consult a physician	
Ingestion	immediately. If swall	owed, consult a physician immediately. Call Na	ational Battery hotline (800-408- 8666).	
	A damaged battery will release concentrated and caustic potassium hydroxide.			
Note to Physician			attery identification and treatment, call the 24- hour National Battery Ingestion Hotline (800-498-	
			al Capital Poison Control Center Button Battery	
	Ingestion Triage ar	d Treatment Guideline: https://www.poison.c	org/battery/guideline.	
Poison Center World Directory	http://globalcrisis.inf	o/poisonemergency.html#AAA		



PSDS – Product Safety Data Sheet

Alkaline Batteries & Battery Packs

	DO NOT GIVE IPECAC. Do not induce vomiting. Seek medical attention immediately and call 24-hour NATIONAL
	BATTERY INGESTION HOTLINE (800-498-8666) for assistance with battery identification and treatment. Additional
If swallowed	treatment information is available from the National Capital Poison Control Center Button Battery Ingestion Triage
	and Treatment Guideline: https://www.poison.org/battery/guideline. Attempt to determine battery imprint code (or
	diameter) of companion or replacement battery. Other than honey, do not give anything by mouth.
	Contents of leaking battery may be irritating to respiratory passages. Move to fresh air. Seek medical attention if
Inhalation	irritation persists.

Section 5: FIRE FIGHTING MEASURES		
Substance or Mixture Specific Batteries may rupture or leak if involved in a fire. Use any extinguishing media appropriate for the surrounding area.		
Hazards		
Fire Fighting Measures	Remove container from fire area if this can be done without risk. Avoid inhaling the material or combustion products.	
	Keep downwind and away from low areas.	
	Large quantities of batteries involved in a fire will rupture and release corrosive potassium hydroxide. Firefighters	
Advice for Fire-Fighters	should wear positive pressure self-contained breathing apparatus and full protective clothing. Fight fire from a distance	
-	or protected area. Cool fire-exposed containers to prevent rupture. Do not breathe smoke, gases or vapors generated	

Section 6: CONTROL MEASURES FOR SPILLAGE OR LEAKAGE

(In case of electrolyte leakage from the battery.) Spills of Large Quantities of Notify spill personnel of large spills. Irritating vapors may be released from leaking or ruptured batteries. Spread Loose Batteries (unpackaged) batteries apart to stop shorting. Eliminate all ignition sources. Clean-up personnel should wear appropriate PPE to avoid eye and skin contact and inhalation of vapors or fumes. Increase ventilation. Carefully collect batteries and place in appropriate container for disposal. Remove any spilled liquid with absorbent material and contain for disposal. Personal Precautions, Clean-up personnel should wear appropriate protective clothing to prevent eye and skin contact and inhalation of dust. **Protective Equipment and** Ventilate area of spill. Avoid creating airborne dust. Eliminate all sources of ignition. Keep spilled material away from **Emergency Procedures** combustible materials. Avoid release to the environment without proper government permits. Prevent entry into storm sewers and waterways. **Environmental Precautions** Report spills as required by local and national regulations. Do not use combustible absorbents or dust control products. Carefully collect material with a scoop. Do not generate Methods and Material for airborne dust. Place in appropriate container for disposal. Rinse the spill area with water after clean-up is complete. **Containment and Cleaning Up** Collect rinse water for appropriate treatment and disposal. Remove any spilled liquid with absorbent material and contain it for disposal.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling	Do not short circuit, charge, dispose into fire or install incorrectly.
	Do not solder directly onto batteries.
	Do not mix different type or brand of batteries.
Conditions for Safe Storage,	Store in cool, dry place in original packaging. Do not store with acids. Store away from reducing agents.
Including any Incompatibilities	

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

This product is considered an article that does not release or result in exposure to a hazardous chemical under normal conditions of use. No engineering controls or personal protective equipment (PPE) is required.

Physical Description	Article
Chemical Properties	Not Applicable
Section 10: STABILITY AN	
Reactivity	Stable and Non-Reactive under 60°C.
Chemical Stability	Cells/batteries may explode or leak and cause burn injuries when recharged, burnt/incinerated, mixed with different types of batteries, inserted backwards into appliances, or disassembled.
Section 11: TOXICOLOGIC	
The chemicals in this produc	t are contained in a sealed can and exposure does not occur during normal handling and use.
Mercury, Lead and Cadmiur recipe.)	n are not used in the cell. (Note: If traces are found, they may be from impurity of the raw materials, not added as part of the
Section 12: ECOLOGICAL	INFORMATION
The chemicals in this produc	t are contained in a sealed can and exposure does not occur during normal handling and use.
	n are not used in the cell. (Note: If traces are found, they may be from impurity of the raw materials, not added as part of the

accumulate large quantities of used batteries for disposal as accumulations could cause batteries to short-circuit. Do not	
incinerate.	
	Ī



PSDS – Product Safety Data Sheet

_	Alkaline Batteries & Battery Packs		
	Requirements of EU	After use, the cells and/or batteries must be disposed separately from unsorted municipal waste and delivered to a commercial or authorized collection/recycling facility	X
	Requirements of Brazil	After use, the cells and/or batteries must be delivered to the commercial establishment or authorized technical assistance network.	$\overline{\mathbb{A}}$

Section 14: TRANSPORT INFORMATION Alkaline cells and batteries are not regulated by IMO IMDG/Not classified by IMO IMDG/the substance is not subject to IMO IMDG. **Regulatory Status** Alkaline cells and batteries (sometimes referred to as "Dry Cell" or "household" batteries) are not listed or regulated as dangerous goods under IATA Dangerous Goods Regulations, ICAO Technical Instructions, IMDG Code, UN Model Regulations, U.S. Hazardous Materials Regulations (49 CFR), and UNECE ADR. **UN Identification** None -Not Required Number/Shipping Name Special regulatory provisions require batteries to be packaged in a manner that prevents the generation of a dangerous quantity of heat and short circuits. Shippers can prepare batteries by taping the terminals, individually packaging **Special Provisions (SP)** batteries, or otherwise segregating the batteries to prevent risk of creating a short circuit. Batteries shipped in original unopened Duracell packaging is compliant. Conformance US DOT SP 49 CFR 172.102 Special Provision 130 Special Provision A123. NOTE: The words "NOT RESTRICTED" and "SPECIAL PROVISION A123" must be included Air Transport IATA 66th edition, ICAO on the description of the substance on the Air Waybill when air waybill is issued. Marine/Water Transport (IMDG) Not regulated by IMO IMDG/Not classified by IMO IMDG/the substance is not subject to IMO IMDG. **Special provisions Emergency Transportation** CHEMTREC 24-Hour Emergency Response Hotline Hotline Within the United States, call: 1-800-424-9300 Outside of the United States, call: 1-703-527-3887 (Collect)

Section 15: REGULATORY INFORMATION

GHS Article Exception	Section 1.3.2.1	
COMPLIANCE		
Applicable Battery Industry Standards: ANSI C18.1M Part 1, ANSI C18.1M Part 2, ANSI C18.4, IEC 60086-1, IEC 60086-2, IEC 60086-5		
Declarable substances (IEC	lone	
62474 Criteria 1)		
Mercury Free Battery (ANSI C18.4M <5ppm)	No Mercury 无汞	
P.R.C. Provision on Mercury Content Limitation for Batteries (GB 8897.5-2005, MOD, Section 9.1(e)	No Mercury added.	
P.R.C. Mercury Free Battery (GB 24427-2009) < 1ppm	Yes, No Mercury Added 无汞	
Small Cell or Battery (ANSI C18.1M Part 2; IEC 60086-4)	Sizes: AAA and Specialty Cells fit inside a specially designed test cylinder 2.25 inches (57.1mm) long by 1.25 inches (31.70 mm) wide	

Section 16: OTHER INFORMATION

An Alkaline battery is a safe consumable product under recommended or normal usage conditions. It is not a dangerous substance or mixture. There are no PSDS supply requirements for Alkaline batteries by the Globally Harmonized System (GHS). Duracell is providing this PSDS as a service to its customers and other users who may make use of Alkaline batteries in the workplace. This Product Safety Data Sheet (PSDS) provides relevant battery information to retailers, consumers, OEMs, and other users requesting a GHS-compliant PSDS. Articles, such as batteries, are exempt from GHS PSDS classification criteria. The GHS criteria is not designed or intended to be used to classify the physical, health, and environmental hazards of an article. Branded consumer batteries are defined as electro-technical devices. The design, safety, manufacture, and qualification of branded consumer batteries follow ANSI and IEC battery standards. This document is based on principles set forth in the following hazard communication approaches ANSI Z-400.1, GHS, JAMP AIS, and IEC 62474.

Disclaimer: This PSDS is intended to provide a summary of our knowledge and guidance regarding the use of this product. The information contained here has been compiled from sources considered by Duracell US Operations, Inc. to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. Duracell US Operations, Inc. assumed no responsibility for injury to the recipient or third parties, or any damage to any property resulting from the misuse of the product.